



शिवालय गाउँपालिका  
Shibalaya Rural Municipality  
गाउँ कार्यपालिकाको कार्यालय  
Office of The Rural Municipal Executive

सिमा, जाजरकोट  
Sima, Jajarkot  
शिवालय गाउँपालिकाको  
सिमा, जाजरकोट  
कर्णाली प्रदेश, नेपाल  
२०७३

कर्णाली प्रदेश, नेपाल  
Karnali Province,

पत्र संख्या: ०७९/०८०  
चलानी नम्बर:

मिति: २०८०/०६/२५


दररेट पेश गर्ने सम्बन्धी सूचना।

प्रस्तुत विषयमा यस शिवालय गाउँपालिकाको कार्यालय, वडा कार्यालयहरू, स्वास्थ्य चौकीहरूला तपशिलका सामानहरू खरिद गर्नु पर्ने भएकोले स्वीकृत प्राविधिक स्टिमेट र टेक्नीकल स्पेसिफिकेसनको आधारमा यस गाउँपालिकामा सुचिकृत इच्छुक फर्म/कम्पनीहरूले उपलब्ध गराउन सक्ने दररेट पत्रका मितिले ७ (सात) दिन भित्र यस कार्यालयमा आइपुग्ने गरी उपलब्ध गराइदिनुहुन अनुरोध छ।

तपशिल:

क्र.स.	विवरण	परिमाण	कैफियत
१	डिजिटल नागरिक वडापत्र	१ थान	
२	ई-हाजिरी डिभाइस	१ थान	
३	All in One PC	१ थान	
४	DSLR क्यामरा	१ थान	
५	ड्रोन क्यामरा	१ थान	

.....  
मान बहादुर बस्नेत  
नि. प्रमुख प्रशासकीय अधिकृत  
नि. प्रमुख प्राविधिक अधिकृत



**Technical Specifications for Purchaser Requirements:**

Item No	Name of Goods or Related Services	Requirements	Bidders proposed	Reference/Catalogue page	Remarks	
1	Digital Notice Borad	Panel Size	75" 4K			
		Active area	1649.7 × 927.9 mm			
		Resolution:	UHD 3840 × 2160 pixels, Aspect ratio: 16:9			
		Brightness without glass (typical)	450 nits, Contrast ratio (typical): 1200:1, Dynamic contrast ratio: 30,000:1, Color depth: 10-bit, Response time: 8 ms, Color gamut: 72% NTSC, Operation hours: 18 hours / 7 days, Orientation: Landscape, Light life (typical): 50,000 hrs			
		OS	Android 10.0, CPU:64-bit ARM Cortex-A75,2.1GHz, Memory: 4GB, Storage: 32 GB eMMC, Windows 7/Windows 10, CPU: I7-4600M 2.9GHz, Memory:8GB, Storage: 256GB SSD			
		Interfaces	Input: RJ45*1, RS232*1, AV IN*1, YPBPR*1, PC AUDIO*1, VGA*1, VGA*DP TOUCH*1, HDMI TOUCH*2,HDMI*2, USB*1 Output: RJ45 OUT*1, HDMI OUT*1, Earphone*1, Coax*1			
		Machine Parameters	Power Supply: AC100-240V,50/60HZ, Power Consumption: 130W(Max), Speaker: Stereo 2*10W, Material: Aluminum alloy front frame, metal black cover, Color: Black or Sliver, VESA: 400*400mm, Net Weight: 41.5Kg, Gross Weight: 51KG, Installation: Wall Mount, Freestanding Mount (Optional)			
		Software	Whiteboarding: EZWrite 5.0, Wireless Screen Sharing: Instashare 1, Account management: AMS, Device Management: DMS, Quick access tool: Floating Tool, Broadcast system: X-sign Broadcast			
		Accessories	Remote Control*1, AC Power Cable (1.5M) *1, Wi-Fi antenna*1 Magnetic Writing Pen (Optional)			
Warranty	One year for parts and service					
2	E- attendance Device	Capacity and Battery Backup	Face Capacity: 2,000 Fingerprint capacity:3,000 ID Capacity:3,000 Record Capacity:1,00,000 Display: 4.3-inch TFT Screen communication TCP/IP, USB-Host, Wi-Fi (Optional) Standard Functions SMS, DTS, Scheduled-bell, self-Service Query, Automatic Status Switch, T9 Input, Photo ID, Camera, Multi-verification, 12V output, RS232 Printer (Optional Cable) Interface for access control 3 <sup>rd</sup> party Electric Lock, Exit Button, Battery Backup to 4 Hour, Free Nepali Date Software			
		Warranty	One year for parts and service			

Prepared By:

Recommended By:

Approved By:



शिवालय गाउँपालिका  
गाउँ कार्यपालिकाको कार्यालय  
सिन्धु, जाजरकोट  
कर्णाली प्रदेश, नेपाल

**Technical Specifications for Purchase Requirement:**

Item No	Name of Goods or Related Services	Requirements	Bidders proposed	Reference	Remarks
1	All in One PC	Size	24"		
		Processor	13th Gen Intel® Core™ i7-1355U		
		RAM/ ROM	16GB DDR4 3200MHz/256GB SSD +1TB HDD		
		Graphics	Integrated Intel® UHD		
		Display	23.8" Touchscreen AIT Infinity Edge Anti-Glare FHD (1920 x 1080)		
		Wi-Fi	Intel® Wi-Fi 6 (2x2) Gig+ and Bluetooth®		
		OS	Microsoft Windows 11 Home		
		Accessory	Stereo Speakers with MaxxAudio Pro, Dell Pro Wireless Keyboard + Mouse , 1x USB 3.2 Gen 2 Type-A, 3x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C, 1x HDMI 1.4, 1x RJ-45 1x Headphone/Microphone Combination Jack, 1x 5-in-1 SD Card Reader, Integrated IR Webcam		
		Warranty	One year for parts and service		
2	DSLR Camera with Lens(18-135mm)	Descriptions	<b>Camera Weight:</b> 701 grams, <b>Image Sensor:</b> 22.3 x 14.8 mm, 32.5MP, CMOS, APS-C, <b>Image processor:</b> DIGIC 8, <b>Screen:</b> 3.0-inch TFT, 1040000 dots, Fully Articulating Screen, <b>TOP LCD:</b> Yes, <b>Viewfinder:</b> Pentaprism, 100% coverage, <b>AF System:</b> 45 Cross Autofocus points <b>ISO Range:</b> 100-51200 <b>Shutter Speed:</b> 1/8000 – 30 seconds, <b>Continuous Shoot:</b> 11 frames/sec, <b>Video Resolution:</b> 4K @30fps, 1080P @upto 120fps, <b>Video Frame Rate:</b> 1080p frame rate: (60fps/50fps/30fps/25fps/24fps), 720p frame rate: (60fps/50fps/30fps/25fps), <b>Built-in flash:</b> Yes; <b>External Flash support:</b> Yes, <b>Compatible Lenses:</b> All EF and EF-S lenses, <b>Weather Shield Body:</b> Yes, <b>Connectivity:</b> Wi-Fi b/g/n, Bluetooth, Type C Mini HDMI Connector, Micro USB 2.0, NFC, 3.5mm headphone jack, <b>Battery Type:</b> Li-ion, Rechargeable; <b>Model:</b> LP-E6N, <b>Battery Life (Approx.):</b> 960 shots		
		Warranty	One year for parts and service		
3	Drone Camera		Weight: < 249 gm, Diagonal Size (Excluding Propellers): 245 mm, Max Horizontal Flight Speed: 16m/s (S Mode), Max Flight Time: 34/45 minutes (in windless conditions), GPS Mode: Built-in GPS + GLONASS + BeiDou, Sensor: 1/1.3" CMOS sensor, Effective pixels: 48MP, Lens: 82.1° (equivalent focal length: 24mm); f/1.7; autofocus at 1m – ∞, ISO Range: Video(100-6400 (Auto/Manual), 100-1600 (D-Log M), 100-1600 (HLG), Photo: 12 MP: 100-6400, 48 MP: 100-3200, Image Max Size: 48MP: 8064 x 6048 pixel		
			Still Photography Modes: Single Shot (12MP and 48MP), Auto Exposure Bracketing (AEB):, 12 MP, 3/5/7 frames at 0.7 EV step, 48 MP, 3 frames at 0.7 EV step Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s, 48 MP, 5/7/10/15/20/30/60 s, Video Recording Modes: 4K @ 24/25/30/48/50/60/100fps, FHD @ 24/25/30/48/50/60/100/200fps, Slow Motion: 4K @ 100fps, FHD @ 200fps, Supported SD Card: Max Capacity: 512GB., Photo: JPEG and DNG (RAW), Video: MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265), live View: 1080P @ 24/30/60fps		
		Operating Systems	iOS 11.0 or later Android 6.0 or later		

Prepared By:

Recommended By: अधिकृत  
सचिवालय

Approved By: